



TORNADO LIFT Model TL-2 TL-4.5 TL-6 TL-8 TL-10 TL-12 TL-15 TL-24 TL-32 TL-18 2,000 4,500 6,000 8,000 10,000 12,000 15,000 18,000 24,000 32,000 Capacity 60" Lift Range 48" 48"/60"/72" 48"/60"/72" 48"/60"/72" 48"/60"/72" 48"/60"/72" 48"/60"/72" 60" 60" Capacity at Max Lifting Range 4,500 6,000 8,000 10,000 12,000 15,000 18,000 24,000 32,000 2,000 **Bunk Length** 8' 12' 12' 12' 16' 16' 20' 16'/6' 25' 25' Frame Length 102" 144" 144" 144" 204" 168" 168" 204" 288" 288" Frame Width 72" 120" 120" 120" 120" 132" 145" 145" 145" 145" Weight 507 lbs 879 lbs 918 lbs 1028 lbs 1227 lbs 1240 lbs 1757 lbs 2301 lbs 2644 lbs 4400 lbs 4'-16' Leg Length Available 4'-16' 4'-16' 4'-16' 4'-16' 4'-16' 4'-16' 4'-16' 4'-16' 4'-16'

Optional Glo-Guides
(Patent Pending)

12 Volt DC H.D pump and solar package, enclosed in a polycarbonate lock box. (Other AC/DC power options are available)



2 Remotes

All side beam hinge pins have a heavy duty Nylatron bushing through a welded aluminum sleeve



Proprietary saddle extrusion for secure beam connection, using 3/8" stainless steel hardware

TORNADO BOAT LIFTS




Oversized Cross Beam

The Golden Exclusive
Multi-Bunk can be used for
V-Hull boats, Step-Hull boats,
Pontoon, or Deck boats
(Patent Pending)

Golden Exclusive Air Bellow protects the stainless steel hydraulic shaft from marine growth and harsh underwater environment (Patent Pending)

Standard 2 1/2" cylinder and optional 3" for extra power when needed





To learn more about our Tornado Lift, call our team of experts at 239-337-4141 or visit us on the web: www.goldenboatlifts.com

